

**Erratum to Emergency Nurse Consensus on Most Effective and Accessible Support Strategies During COVID-19: A Delphi Study**  
 [Journal of Emergency Nursing, Volume 48, Issue 5, September 2022, Pages 538-546]

Anna C. Quon, MBA HM, BSN, RN, AMB-BC, Wendy Vanderburgh, MSN, RN, NREMT-P, FP-C, and Andi Foley, DNP, RN, APRN-CNS, EMT, CEN, FAEN, St. Luke's Health System, Boise, ID

We regret that Table 2 was not displayed correctly in the above article. The corrected Table 2 is shown below. We would like to apologize for any inconvenience caused.

TABLE 2

**Initial survey responses indicating top-rated strategies**

<b>Topic</b>	<b>Employee-led strategy</b>	<b>Employer-led strategy</b>
Perceived effectiveness	Self-care activities that enhance social well-being, such as establishing new and enhancing existing relationships with peers, friends, and family	None
Perceived accessibility	None	None
Likelihood of participation	Self-care activities that enhance your social well-being, such as establishing new and enhancing existing relationships with peers, friends, and family Self-care activities that enhance your emotional well-being, such as practicing stress management, relaxation, mindfulness, reflective writing/journaling	None

DOI of original article: <https://doi.org/10.1016/j.jen.2022.06.003>

For correspondence, write: Anna C. Quon, MBA HM, BSN, RN, AMB-BC, Nursing and Patient Care Center of Excellence, St. Luke's Health System, 190 E. Bannock Street, Boise, ID 83712; E-mail: [delcida@slhs.org](mailto:delcida@slhs.org)

J Emerg Nurs 2022; ■:1.  
0099-1767

Copyright © 2022 Emergency Nurses Association. Published by Elsevier Inc. All rights reserved.

<https://doi.org/10.1016/j.jen.2022.09.016>